

Message

From: Lovell, John [Lovell.John@epa.gov]
Sent: 3/21/2017 5:31:31 PM
To: Kara Humes [KHumes@entecheng.com]
CC: Copeland, Stephen [Copeland.Stephen@epa.gov]; Shuart, Ryan [shuart.ryan@epa.gov]
Subject: RE: Looking for some info
Attachments: Appendix A Limits Package.docx; Appendix B Limits Package.pdf

Here's the stuff that we usually attach to the original limits package. Appendix A is a summary of the pretreatment regulations, and Appendix B is some information on RCRA. We also include a copy of the General Pretreatment Regulations, but I'm guessing that you have those already. If you need a copy, let me know.

John Lovell
Pretreatment Coordinator
USEPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029
215-814-5790
215-814-2301 (fax)

From: Kara Humes [mailto:KHumes@entecheng.com]
Sent: Tuesday, March 21, 2017 1:12 PM
To: Lovell, John <Lovell.John@epa.gov>
Cc: Copeland, Stephen <Copeland.Stephen@epa.gov>; Shuart, Ryan <shuart.ryan@epa.gov>
Subject: RE: Looking for some info

John,

Thank you for the information. Sapa received their official copy as well.

I had hoped that theirs would have a full copy of the package referenced from 12/12/13. Is it possible for you to send me an electronic version?

Thank you again,
Kara

From: Lovell, John [mailto:Lovell.John@epa.gov]
Sent: Monday, March 13, 2017 11:04 AM
To: Kara Humes <KHumes@entecheng.com>
Cc: Copeland, Stephen <Copeland.Stephen@epa.gov>; Shuart, Ryan <shuart.ryan@epa.gov>
Subject: RE: Looking for some info

Hi Kara.

We actually just put the revised limits for SAPA in concurrence last week, so hopefully they'll get it this week. There really aren't any major deadlines that I can think of other than the routine reporting. Data for the January through June period is due July 31 and the data for the July through December period is due January 31. Of course if they have a violation then the 30-day resampling and reporting kicks in.

The updated limits are based on an increased production rate from the previous limits sheet. One other thing that we did change was the way we ask them to report on production. Rather than reporting just the total production, we're

asking them to report production through each process, or a total production with a percentage of the production that goes through each process.

I've attached a copy of the new limits sheet and cover letter. If you have any questions, please let me know.

John Lovell
Pretreatment Coordinator
USEPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029
215-814-5790
215-814-2301 (fax)

From: Copeland, Stephen
Sent: Monday, March 13, 2017 8:45 AM
To: Lovell, John <Lovell.John@epa.gov>
Subject: FW: Looking for some info

Stephen G. Copeland
NPDES Permits Branch (3WP41)
Water Protection Division
1650 Arch Street
Philadelphia, PA 19103-2029

(215) 814-5792
e-mail:- copeland.stephen@epa.gov

From: Kara Humes [<mailto:KHumes@entecheng.com>]
Sent: Thursday, March 09, 2017 6:45 PM
To: Copeland, Stephen <Copeland.Stephen@epa.gov>
Subject: Looking for some info

Hi Steve,

Hope all is well. I am working with a new client that has asked me for help in getting a copy of an EPA permit. He is new to the position and the former consultant isn't being very helpful any more.

The client is Sapa Extrusion in Mountain Top, PA. According to a document I found the former consultant noted that Sapa has an Industrial Wastewater EPA Discharge Permit No.: PAP245985. It went on to say that it was issued 12/12/2013 by EPA with re-established effluent loading limits and that the consultant had requested EPA make major revisions to this permit. The date indicated that the revisions are expected in 2016 but then nothing else was mentioned.

Would you know anything about this permit and could you possibly email me a copy of it?

I don't want to see Sapa miss any deadlines so I want to get them a copy ASAP.

Thanks so much!
Kara

Kara J. Humes

Environmental Project Manager
o. 570.628.5655 x1202 or 610.373.3345



500 North Centre Street | PO Box 389 | Pottsville, PA 17901
(p) 800.825.1372 (f) 610.373.7537

The information contained in this email and any files transmitted with it are confidential and are intended solely for the use of the addressee. If you are not the addressee or the person responsible for delivering this email to the addressee, be advised that you have received this email in error, and that any use, disclosure, copying, dissemination, forwarding, printing, or copying of this email is strictly prohibited. If you have received this communication in error, please immediately destroy, discard, or erase this communication, notify postmaster@entecheng.com, or contact us by telephone at 800-825-1372.